

Product Specifications



imageRUNNER 1730



imageRUNNER 1730iF



imageRUNNER 1750

Main Unit

System Type

Monochrome Digital Multifunction Imaging System

Functions

Standard: 1750/1740/1730: Copy, Print (UFR II LT), Scan, Send

1750iF/1740iF/1730iF: Copy, Print (UFR II LT, PCL, PostScript(R) 3TM Emulation), Scan, Send, Fax

Optional: 1750/1740/1730: Print (PCL, PostScript 3 Emulation), Fax

Operation Panel

5.7" QVGA Black-and-White LCD Touch-Screen

Memory

Standard: 512MB RAM

Maximum: 512MB RAM

Network Interface Connection

Ethernet 10/100Base-TX

Other Interface

Standard: USB 2.0 (Host)x1,
USB 2.0 (Device)x1

Copy/Print Speed (BW) (Letter)

1750/1750iF: Up to 52 ppm

1740/1740iF: Up to 42 ppm

1730/1730iF: Up to 32 ppm

Paper Sources (20 lb. Bond)

Standard: 550-sheet Paper Cassettes
100-sheet Stack Bypass

Optional: Triple 550-sheet Paper Cassette Feeder

Maximum: 2,300 Sheets

Output Paper Sizes

Cassette 1/3/4: Legal, Letter-R, Statement-R, Executive

Cassette 2: Legal, Letter-R, Statement-R, Executive, Envelopes (COM10 No.10/Monarch/DL/ISO-B5/ISO-C5)

Bypass: Legal, Letter-R, Statement-R, Executive, Envelopes (COM10 No.10/Monarch/DL/ISO-B5/ISO-C5, Custom Size (3-15/16" to 3-1/2" x 5-9/16" to 14-1/8" [99mm to 216mm x 140mm to 356mm])

Acceptable Paper Weight

Cassettes: 17 lb. Bond to 28 lb. Bond (64 to 105g/m²)

Bypass: 17 lb. Bond to 34 lb. Bond (64 to 105+g/m²)

Duplexing

Paper Size: Standard Automatic Trayless Duplexing (Statement to Legal)

Paper Weight: 17 lb. Bond to 28 lb. Bond (64g/m² to 105g/m²)

Warm-up Time

From Power On: 30 Seconds or Less

From Sleep Mode: 1 Second or Less

Power Requirements

120V AC, 60Hz, 10A

Plug

NEMA 5-15P

Power Consumption

Maximum: 1.5KW; Sleep Mode: 1W

Dimensions (H x W x D)

25" x 21-1/4" x 19-3/4"
(636mm x 540mm x 500mm) (with Feeder)

Installation Space (W x D)

37-1/8" x 37-3/4" (941mm x 960mm) (with no optional equipment attached)

50-1/4" x 37-3/4" (1,276mm x 960mm) (with the optional Staple Finisher-H1 attached)

Weight

Approximately 97.7 lb. (44.3kg)*

Toner (Estimated Toner Yield)

15,100 Images @ 6% Coverage

